

# imFONE CPs

## PC-VoIP Cordless Phone Set




<Part no.: imFONE\_CP>

<b>Skype support</b>	Sync buddy list (Auto Sync. process) Calling from buddy list of cordless phone Receiving calls using cordless phone Stores recently called/received phone numbers Volume Up/Down adjustment Adjustment of button sound (ON/OFF)
<b>Additional functions</b>	Laser Pointer, Wireless Presenter (using Keypad)

### Hardware Features:

### Bluetooth:

<b>Bluetooth Standard</b>	Class 1 Bluetooth ver. 1.2, 2.402~2.480GHz <b>Cordless Telephony Profile</b> 2.4 GHz	<b>Standard</b>	Bluetooth spec. 1.2 Compliant
<b>Display</b>	32x128 pixels, Monochrome	<b>Frequency</b>	2400~2483.5 MHZ ISM Band
<b>Laser Pointer</b>	operates when Laser Pointer mode is enabled.	<b>Spread Spectrum</b>	Adaptive Frequency Hopping
<b>Interface</b>	imFONE_CP : TTA 24pin interface for charging imFONE_M(S): USB 1.1 type A	<b>RF Transmit Power</b>	20 dBm (typical 17dBm)
<b>Power source</b>	Rechargeable 800mA Li-ion battery	<b>Range</b>	<b>Up to 100 meters</b>
<b>Batter life</b>	External: TTA 24pin standard charger Standby : 38Hrs, Talk Time: 9Hrs	 Plug-and-play PC VoIP adaptor < P/N: imFONE_S >	
<b>Operation Power</b>	4.2V		
<b>Unit weight</b>	imFONE_CP: 52g, imFONE_S(M): 12g		
<b>Temperature</b>	Operation : 5°C to 40°C, Storage : -20°C to 70°C		
<b>Humidity</b>	All conditions: 5% to 90% RH, With no condensation		
<b>System req.</b>	Windows XP, 2000, ME, Linux, Mac		
<b>Dimensions</b>	imFONE_CP: 97mm X 46mm X 11mm imFONE_M(S): 21mm x 62mm x 11mm (20mm x 60mm x 6mm)		
<b>Certification</b>	Bluetooth SIG, CE, FCC		

### Order Info. : imFONE VoIP Cordless Phone Set

<b>imFONE_CPS01</b>	imFONE_CP imFONE_M (w/ 128 memory) USB power cable / Manual CD
<b>imFONE_CPS02</b>	imFONE_CP imFONE_S (w/o memory) USB power cable / Manual CD

# imFONE UP

## PC-VoIP USB Phone



<Part no.: imFONE\_UP>

### Skype support

- Sync buddy list (Auto Sync. process)
- Calling from buddy list of cordless phone
- Receiving calls using cordless phone
- Stores recently called/received phone numbers
- Volume Up/Down adjustment
- Adjustment of button sound (ON/OFF)

### Additional functions

- Laser Pointer, Wireless Presenter (using Keypad)

### Hardware Features:

Display	32x128 pixels, Monochrome
Laser Pointer	Operates when Laser Pointer mode is enabled.
Interface	TTA 24pin interface to connect to type A USB port of the PC.
USB Cable	USB type A to TTA 24pin cable for voice comm. (1.5m)
Unit weight	53g
Temperature	Operation : 5°C to 40°C, Storage : -20°C to 70°C
Humidity	All conditions: 5% to 90% RH, With no condensation
System requirement	Windows XP, 2000, ME, Linux, Mac
Dimensions	97mm X 46mm X 11mm



### Order Info. : imFONE VoIP Cordless Phone Set

imFONE_UP01	imFONE_UP USB cable (1.5m) / *Magnet Manual CD
imFONE_UP02 (upcoming model)	imFONE_UP (w/ memory space) USB cable (1.5m) / *Magnet Manual CD

\*Magnet: To attach to your nearby magnetic substance



<Part no.: imFONE\_HS>

# imFONE HS

## VoIP USB adaptor for Bluetooth Headset Users

<b>Skype support</b>	Plug-and-play PC VoIP (Skype) adaptor for Bluetooth Headset users. Rediscover your Bluetooth headset. Your Bluetooth headset can be VoIP phone caller & receiver, <i>when it is with imFONE_HS.</i>
<b>Additional functions</b>	Wireless Presenter (using Volume button)

### Hardware Features:

<b>Bluetooth Standard</b>	Class 1 Bluetooth ver. 1.2, 2.402~2.480GHz Compliant Headset / Handsfree Profile
<b>Interface</b>	imFONE_HS/HM: USB 1.1 type A
<b>Unit weight</b>	imFONE_HS: 8g, imFONE_HM: 10g
<b>Temperature</b>	Operation : 5°C to 40°C, Storage : -20°C to 70°C
<b>Humidity</b>	All conditions: 5% to 90% RH, With no condensation
<b>System req.</b>	Windows XP, 2000, ME, Linux, Mac
<b>Dimensions</b>	ImFONE_HS(20mm x 60mm x 6mm) imFONE_HM(21mm x 62mm x 11mm)
<b>Certification</b>	Bluetooth SIG, CE, FCC, TELEC, IC

### Bluetooth:

<b>Standard</b>	Bluetooth spec. 1.2 Compliant
<b>Frequency</b>	2400~2483.5 MHZ ISM Band
<b>Spread Spectrum</b>	Adaptive Frequency Hopping
<b>RF Transmit Power</b>	20 dBm (typical 17dBm)
<b>Range</b>	<b>Up to 100 meters</b>



imFONE\_HS/HM works with various models of Bluetooth headset such as Jabra, Plantronics, and Scala etc.

### Order Info. : PC VoIP adaptor for Bluetooth Headset

<b>imFONE_HS</b>	imFONE_HS / Manual CD
<b>imFONE_HM</b>	imFONE_HM (w/ 128 memory) Manual CD

\*imFONE\_HS/HM both works in Plug-and-play mode.



<Part no.: BHF-100>

## BHF-100

### *Bluetooth Handsfree & Speaker Phone*

Bluetooth compatible (voice) v.1.2

Up to 8 or more Bluetooth mobile phones can be paired-up

**Sun visor bracket** for convenient mounting (no wire)

Transferable between vehicles

Talk time : Up to 14 hours. Stand-by time: Up to 500 hours

Manage up to 8 Bluetooth mobile phones

Speaker : Internal speaker 2W

Operating Voltage : DC 3.3 V regulated

Operating Range : Max. 10 meter (30 feet)

Volume Control : 33 steps, up/down/mute control

Full Duplex DSP

Certification : CE, FCC

Dimensions : 50mm\*90mm\*18mm, Weight : App. 100g



<Part no.: STAP-100>

## STAP-100

### *Bluetooth PSTN/VoIP Dual Access Point*

STAP-100 connects both PSTN landline and SKYPE calls on a PC to a single Bluetooth handset.

- PSTN connection (Local 1 Port, SLT 1 Port)
- Landline service through Bluetooth wireless connection in era of AP
- Provide high quality sound through DSP Application
- Maximize the portability through a compact and light weight design.
- User friendly power supply through USB port

Track of all your phone call storing the caller ID of unanswered landline as well as SKYPE calls